Ref. : EC 7/15/00C

HONG KONG MIDWIVES COUNCIL EXAMINATION

香港助產士局考試

Thursday
6th April, 2000
(3 hours)

星期四
二零零零年四月六日
(三小時)

10:00 a.m. - 1:00 p.m.

Answer ALL questions.
全部作答

Read the questions carefully and answer ONLY what is asked.
細讀試題，限答試題所問。

Begin each answer on a FRESH AND SEPARATE SHEET.
每答一題，請用新頁。

Write on both sides of the paper.
答案紙兩面均需書寫。

This paper consists of this page and **THREE** other printed pages.
注　意：除此封面外，此試卷共有三頁。

Civil Service Examinations Unit
公務員考試組

c\deptl\mid-wife\7b

Answer ALL questions
全部作答

Section A
甲　部

1. A healthy 28 years old primigravida with an uneventful singleton pregnancy at 38 weeks' gestation requests elective Caesarean section at term. How would you deal with this matter? (15 %)

   一個健康正常 28 歲初次懷有單胎的孕婦，妊娠 38 週，要求以選擇性剖腹產分娩。你會如何處理這情況？

2. Discuss your management of a 22 years old lady admitted for leakage of liquor at 28 weeks of gestation. (15 %)

   試論你對一名 22 歲婦人在妊娠 28 週因羊水滲出的處理。

Section B
乙　部

Write short notes on :
簡　述：

1. Cardiac output during pregnancy (5%)

   妊娠期心輸出量

2. Infection control measures for pregnant women with HIV infection during labour (5%)

   染有人類免疫力缺乏病毒的產婦在分娩時的感染控制措施

3. Routine antenatal blood tests (5%)

   產前常規血液檢驗

4. Complications of episiotomy (5%)

   會陰切開術的併發症

5. Causes of "high head" at term (5%)

   足月時兒頭高的原因

6. Clinical features of neonatal sepsis (5%)

   新生嬰兒感染的臨床徵狀

7. Benefits of a routine 18 to 28 weeks ultrasound examination (5%)

   妊娠 18 至 28 週施行常規超音波檢查的好處

8. Symptoms of postpartum depression (5%)

產後抑鬱的症狀

9. Biochemical screening for Down's syndrome (5%)

唐氏綜合症的生化普查

10. Causes of secondary postpartum haemorrhage (5%)

繼發性產後出血的原因

11. Criteria for a reactive cardiotocography (CTG) (5%)

反應良好的胎兒心跳及宮縮監察圖應具備的條件

12. Management of breast engorgement in breast feeding mother (5%)

母乳餵哺的母親乳脹的處理

13. Two most common causes of anaemia in pregnancy in Hong Kong (5%)

在香港最常見的兩個妊娠期貧血的原因

14. Counseling to mother whose baby has G6PD deficiency (5%)

對患有六磷酸葡萄糖去氫酵素缺乏症嬰兒的母親的輔導

END OF TEST
完 卷