HONG KONG MIDWIVES COUNCIL EXAMINATION
香 港 助 產 士 管 理 局 考 試

Wednesday
2nd April, 2003
(3 hours for Part I & Part II)

星期三
二〇〇三年四月二日
(第一及第二部分合共三小時)

PART I
第 一 部 分

Notes to Candidates :
考 生 須 知 :

1. Answer **ALL** questions.
   全 部 作 答。

2. Read the questions carefully and answer ONLY what is asked.
   細 讀 試 題 ， 限 答 試 題 所 問。

3. Begin each answer on a FRESH AND SEPARATE PAGE.
   每 答 一 題 ， 請 用 新 頁。

4. Write on each line of the paper.
   答 案 紙 無 需 隔 行。

Do not turn over this page until you are told to do so.
未經准許，不可翻閱下頁

This paper consists of this page and **TWO** other printed pages.
注 意 ： 除 此 封 面 外 ， 此 試 卷 共 有 **兩** 頁 。

PART I – Written Part
第 一 部 分

Answer ALL questions
全 部 作 答

Section A
甲 部

1. A 32-year-old lady at 15th week into her first pregnancy seeks your opinion on biochemical screening for Down's syndrome. How would you advise her? (15 %)

   一名三十二歲首度懷孕婦人於妊娠十五週諮詢你對唐氏綜合症血液普查檢驗的意見。你將給她什麼建議？

2. A 34-year-old woman had just delivered her 3rd child. She looked palor and lethargy. Heavy bleeding per vagina was noted after the delivery of placenta. How would you manage? (15 %)

   一名三十四歲婦人剛產下第三胎，她看來蒼白昏睡，胎盤娩出後，陰道嚴重出血。你將如何處理？

Section B
乙　部

Write short notes on :
簡　述：

1. Strategies to promote epidural analgesia in labour (5%)

   推行分娩期硬膜外麻醉的策略

2. Resuscitation of a flaccid newborn with thick meconium-stained liquor and poor respiratory effort at birth (5%)

   對一名出生時羊水含濃稠胎糞，呼吸無力且呈軟弱之初生嬰兒的急救法

3. Labour presenting with occipito-posterior position (5%)

   枕後位置的分娩

4. Postnatal exercises (5%)

   產後運動

5. Causes of "high head at term" in primigravida (5%)

   初胎孕婦足月時兒頭高的原因

6. Code of midwifery practice (5%)

   助產士護理職務守則

END OF PART I
第一部分完卷